

ATOS Core



Optical 3D Scanner

Mobile – Stationary – Automated
For small and medium-size components

gom

ATOS

Industrial Optical
3D Scanning





First launched in 1995, the ATOS series of 3D scanners has been continually developed always utilizing state-of-the-art technology. Today, optical 3D measuring technology and full-field surface measurement systems have become a standard tool within virtually all industries worldwide. ATOS systems are used to reduce development times, optimize production processes and, at the same time, improve process security.

Full-field Measurement

ATOS is a 3D coordinate measuring machine. The fast, non-contact, optical 3D scanners deliver a high-resolution point cloud which precisely describes free-form surfaces and primitives regardless of part sizes, surfaces, finishes, and geometries. ATOS provides three-dimensional measurement data and analysis for industrial components such as sheet metal parts, tools and dies, turbine blades, prototypes, injection molded parts, castings, and more.

Self-monitoring Systems

The high-resolution 3D scanners from the ATOS product line guarantee high process security. The proven stereo camera setup allows a completely self-monitoring system. Calibration and sensor movements are checked continuously preventing measuring errors and thus delivering accurate and reliable measuring data. The projection unit's narrowband Blue Light Technology enables precise measurements regardless of ambient light conditions.



Comprehensive Inspection

Used in conjunction with GOM's professional inspection software, ATOS supplies:

- Precise 3D coordinates
- Full-field deviations from CAD
- Complete shape and dimension analyses
- Comprehensive measurement and inspection reports

The measurement data is available for immediate analysis and comparison with CAD data, 2D drawings or similar parts. Deviations from CAD are highlighted in color and easy to recognize as problematic areas, enabling specific improvements to be made to the manufacturing process. This eliminates the need for time- and cost-intensive iteration loops.

Shape and Dimension Control

ATOS 3D scanners are key elements of the entire process chain, from construction through to production and maintenance:

- Shorter research and development times
- Faster production processes
- Improved quality assurance within the entire product lifecycle


ATOS systems reduce product development and production start-up times. They optimize production processes as they minimize scrap produced during manufacturing and rework times. With the integration of ATOS scanners in the entire development and production process standardized quality assurance operations are established.

ATOS Core

One Core – Three Solutions

ATOS Core is characterized by its compact form. It is ideal for 3D digitizing of small and medium-size components. The three product lines offer solutions for diverse measurement tasks, ranging from the handling of basic 3D scans to fully automated measurement and inspection processes.

Essential Line 3D Scanning with GOM Scan



The ATOS Core Essential Line with the GOM Scan software is designed for basic scanning tasks. Its focus lies on 3D scans which produce high-quality data for applications such as reverse engineering and rapid prototyping. The GOM Scan software is easy to use and supplies high-quality 3D polygon meshes in STL format. The delivery package

comprises the sensor head, software, image processor, cables and accessories. For manual operation customers can choose between a stand, tripod or desk stand. If requirements or measurement tasks change, they can upgrade to the Professional or Kinematics Line whenever needed.




Professional Line 3D Metrology Solutions




The ATOS Core Professional Line comes with the ATOS Professional software for comprehensive shape and dimension analysis. Parametric inspection can be used to completely trace and link all actions and analysis steps in the software. Functions include selective and back projection as well as dynamic referencing for tracking, touch probes or adapter applications. The scanner uses Triple Scan technology during the scanning process, whereby the two cameras combine

with the projector to capture three object views in a single measurement process. This reduces the number of individual scans that are required – even for complex parts. The ATOS Core system can also be used in conjunction with ATOS Triple Scan or ATOS Compact Scan to provide an additional measurement volume. The sensor head is easily exchanged if different resolutions or measurement field sizes are required. After the change, there is no need for re-calibration.



Kinematics Line **Automated Small Objects Inspection**




The ATOS Core Kinematics Line is used for automated measurement and inspection of small parts and components. The robot-guided sensor is integrated in the ready-to-use ATOS ScanBox measuring cell and enables efficient quality controls during the production process. To ensure that measurement and inspection processes are

easy to program, the system is controlled via the standard VMR (Virtual Measuring Room) software solution within the ATOS Professional software. ATOS Core can be extended to include the ATOS Plus photogrammetry system for fast capture of complex components or fixtures during automated measurement processes.

ATOS Core

As well as offering the proven ATOS features such as stereo camera setup and Blue Light Technology, ATOS Core is based on a new technology platform. For the first time, the optics and electronics modules have been integrated in a minimum installation space. This compact format gives the sensor maximum stability, reduces overall sensor size, and allows measurements to be taken in confined conditions.



Hot Plugging

Preset sensor models for different resolutions and measurement field sizes can be exchanged quickly and reliably. After the change, there is no need for re-calibration.

Blue Light Technology

The projection technology developed by GOM operates with narrowband blue LED light. As a result, accurate measurements can be taken independently of ambient light conditions.

Triple Scan Technology

In ATOS Core the two cameras combine with the projector to capture three views of an object in a single measurement process. This requires fewer scans and delivers higher quality data – even on shiny and complex objects.

Stereo Camera Setup

Thanks to the proven stereo camera setup, ATOS Core monitors its own activities. Calibration, transformation accuracy and component movements are subject to continuous control. This guarantees that the system generates reliable and precise measurement data.


Application-specific Software

Different software packages are available for ATOS Core. In GOM Scan the focus lies on 3D meshes, while ATOS Professional offers a broad range of functions for parametric inspection.

Extend with Photogrammetry

To enable quick and accurate component and fixture referencing, ATOS Core can be extended to include a photogrammetry option – with TRITOP for manual or ATOS Plus for automated applications.

Technical data



	ATOS Core 45	ATOS Core 80	ATOS Core 135	ATOS Core 200
Measuring area	45 x 30 mm	80 x 60 mm	135 x 100 mm	200 x 150 mm
Working distance	170 mm	170 mm	170 mm	250 mm
Point spacing	0.02 mm (0.03 mm)*	0.03 mm (0.05 mm)*	0.05 mm (0.09 mm)*	0.08 mm (0.13 mm)*
Sensor dimensions	206 x 205 x 64 mm	206 x 205 x 64 mm	206 x 205 x 64 mm	206 x 205 x 64 mm
Weight	2.1 kg			
Power supply	90 – 230 V AC			
Operating temperature	+5°C up to +40°C, non condensing			

*GOM Scan with Sensor Driver 2M

	ATOS Core 185	ATOS Core 300	ATOS Core 500
Measuring area	185 x 140 mm	300 x 230 mm	500 x 380 mm
Working distance	440 mm	440 mm	440 mm
Point spacing	0.07 mm (0.12 mm)*	0.12 mm (0.18 mm)*	0.19 mm (0.31 mm)*
Sensor dimensions	361 x 205 x 64 mm	361 x 205 x 64 mm	361 x 205 x 64 mm
Weight	2.9 kg		
Power supply	90 – 230 V AC		
Operating temperature	+5°C up to +40°C, non condensing		

*GOM Scan with Sensor Driver 2M

Global Partner for Optical 3D Coordinate Metrology

Worldwide GOM Sales and Support Network



Accessories and options

		Essential Line	Professional Line	Kinematics Line
Software	GOM Scan	■	-	-
	ATOS Professional	-	■	■
Automation software	Motion Replay	-	■	-
	VMR	-	-	■
Sensor driver	Sensor Driver 2M	2 million PPS **	-	-
	Sensor Driver 5M	5 million PPS **	-	-
	Triple Scan Sensor Driver	-	■	■
Stand	Studio stand	■	■	-
	Tripod	■	■	-
	Desk stand	■	■	-
Automation options	Rotation table	-	■	-
	Small Object Motorization	-	■	-
	ScanBox	-	-	■
Photogrammetry	Manual	-	TRITOP based	-
	Automated	-	-	ATOS Plus
Dynamic referencing	Touch Probe	-	■	-
	Adapter	-	■	■
	Tracking	-	■	■
Inspection	Parametric Inspection	-	■	■
	CAD import standard formats (IGES, STEP, ASCII,...)	■ ***	■	■
	CAD import native formats (CATIA, UG, Pro/E)	-	■	■
Image Processing Computer	Mobile, Workstation, Rack Design			

** Points per Scan (Native camera resolution: 5 million pixels) *** with free GOM Inspect software



The name GOM stands for innovative hardware and software in optical 3D coordinate measurement technology. Solutions from GOM have established themselves as standards in product development and quality assurance as well as in material and component testing. Users of GOM systems include international companies from the automotive, aviation, aerospace and consumer goods industries, their suppliers as well as research institutions and universities from all over the globe. GOM offers a full range of development, production, sales, training and professional support services from a single source.

Australia
MOSS Pty Ltd
Phone +61 3 9946 1086
info@scan-xpress.com.au

Austria
Westcam Datentechnik GmbH
Phone +43 5223 5550 90
office@westcam.at

Brazil, Argentina
ROBTEC DO BRASIL
Phone +55 11 3318 5100
info@robtec.com

China
Dom 3d Ltd.
Phone +862 1 2898 6108
info@dom-3d.com.cn

China
Pro-Technic Machinery Ltd.
Phone +852 2428 2727
atd@protechnic.com.hk

China, Taiwan
Road Ahead Technologies
Phone +886 2 2999 6788
marcel@rat.com.tw

Columbia
USM Columbia S.A.
Phone +57 4279 9000
gerencia@usm.com.co

Croatia, Slovenia
Topomatika d.o.o.
Phone +385 91 5046 239
info@topomatika.hr

Czech Republic
MCAE Systems s.r.o.
Phone +420 549 128 811
mcae@mcae.cz

Denmark
Zebicon
Phone +45 7650 9152
info@zebicon.com

Finland
Cascade Computing AB
Phone +358 40 515 3341
info@cascade.fi

Greece
EXPERTCAM
Phone +30 210 2757 410
expotec@otenet.gr

Hungary
R-Design Studio Ltd.
Phone +36 1 365 10 89
info@r-design.hu

India
APM Technologies
Phone +91 11 4163 1416
apmtech@vsnl.net

Indonesia
PT Henindo
Phone +62 21 489 9675
henvgs@attglobal.net

Iran
Fadak Sanat Gostar (FSG)
Phone +98 21 88 730 735
info@fadaksanat.com

Israel
Globus Technical Equipments Ltd.
Phone +972 9 9560444
nir@globus.co.il

Japan
Marubeni Solutions Corp.
Phone +81 3 5778 8571
Sato-Yoshiyuki@marubeni-sys.com

Malaysia, Singapore
First High Tech Sdn Bhd
Phone +603 7665 2188
info@1st.com.my

Mexico
CIM Co.
Phone +52 55 5565 6633
info@cimco.com.mx

Pakistan
Ultimate CAD Solutions Ltd
Phone +92 51 5467572
shakir@ucs-int.com

Peru
Advanced 3D Technologies
Phone +511 637 5000
diseno@advanc3d-tec.com

Poland
Lenso Sp. z o.o.
Phone +48 61 894 78 93
info@lenso.com.pl

Portugal
S3D
Phone +35 12 4457 3100
suporte@s3d.pt

Romania
SPECTROMAS SRL
Phone +40 21 3105190
info@spectromas.ro

Russia, Kazakhstan
NIAT
Phone +7 495 3111198
info@niat-ntk.ru

South Africa
RGC Engineering Pty
Phone +27 11 531 0766
info@rgcengineering.co.za

South Korea
OMAGOM Co.
Phone +82 42 822 9501
support@omagom.co.kr

Spain
Metronic S.A.
Phone +34 943 121400
comercial@metronicnet.com

Sweden
Cascade Computing AB
Phone +46 31 84 0870
info@cascade.se

Thailand
Mentel Co., Ltd.
Phone +662 719 6969
info@mentel.co.th

Turkey
Cadem A.S.
Phone +90 216 557 64 64
gom@cadem.com.tr

USA, Canada
Capture 3D Inc.
Phone +1 714 546 7072
info@capture3d.com

USA, Canada
Trillion Quality Systems LLC
Phone +1 215 710 3000
info@trillion.com

Venezuela
AT Group Software Inc
Phone +58 212 9432 446
dkinz@atgroup.com.ve

Vietnam
AIE
Phone +84 43 7345 435
aie@vnn.vn



GOM mbH
Mittelweg 7-8
38106 Braunschweig
Germany
Phone +49 531 390 29 0
Fax +49 531 390 29 15
info@gom.com

GOM France SAS
10 Quai de la Borde
91130 Ris Orangis
France
Phone +33 1 60 47 90 50
Fax +33 1 69 06 63 60
info-france@gom.com

GOM International AG
Bremgarterstrasse 89B
8967 Widen
Switzerland
Phone +41 5 66 31 04 04
Fax +41 5 66 31 04 07
international@gom.com

GOM Branch Benelux
Interleuvenlaan 15 F
3001 Leuven
Belgium
Phone +32 16 408 034
Fax +32 16 408 734
info-benelux@gom.com

GOM UK Ltd
Unit 14, The Cobalt Centre
Coventry, CV3 4PE
United Kingdom
Phone +44 2476 639920
Fax +44 2476 516990
info-uk@gom.com

GOM Italia Srl
Via della Resistenza 121/A
20090 Buccinasco (MI)
Italy
Phone +39 02 457 01 564
Fax +39 02 457 12 801
info-italia@gom.com

GOM Asia
Keyuan Road 88, Tower 2, Unit 731
201203 Shanghai
PR China
Phone +86 21 2898 6551
Fax +86 21 2898 6552
info-asia@gom.com